

COMPARATIVA MATERIALES DIN/EN/ASTM

ACERO INOXIDABLE

NÚMERO MATERIAL	EN	ASTM
1.4541 X6 CrNiTi 18 10	X6CrNiTi 18-10	A 182 Grade F321
1.4571 X6 CrNiMoTi 17 12 2	X6CrNiMoTi17-12-2	A 182 Grade F316Ti
1.4301 X5 CrNi 18 10	X5CrNi 18-10	A 182 Grade F304
1.4306 X2 CrNi 19 11	-	A 182 Grade F304L
1.4307 -	X2CrNi18-9	A 182 Grade F304L
1.4401 X5 CrNiMo 17 12 2	X5CrNiMo17-12-2	A 182 Grade F316
1.4404 X2 CrNiMo 17 13 2	X2CrNiMo17-12-2	A 182 Grade F316L
1.4462 X2 CrNiMoN 22 5 3	X2CrNiMoN22-5-3	A 182 Grade F51 (Duplex)
1.4529 X1 NiCrMoCuN 25 20 6	X1NiCrMoCuN25-20-7	UNS N 08926
1.4539 X1 NiCrMoCuN 25 20 5	X1NiCrMoCu25-20-5	A 182 Grade F904L
1.4547 -	X1CrNiMoCuN20-18-7	UNS S 31254