

ACCESORIOS DIN 11851



Dimensiones: DN 15 a DN 150


Material: AISI 304 (1.4301) - AISI 316L (1.4404)

Acabado: rugosidades según Normas en la superficie y la soldadura aptas para la industria alimentaria

Aplicaciones: Industria en general, alimentaria y farmacéutica

TUERCA CASQUILLO JUNTA MACHO


TUERCA



DN	d3	d6	Rd	C
10	19	38	28x1/8"	18
15	25	44	34x1/8"	18
20	31	54	44x1/6"	20
25	36	63	52x1/6"	21
32	42	70	58x1/6"	21
40	49	78	65x1/6"	21
50	62	92	78x1/6"	22
65	80	112	95x1/6"	25
80	94	127	110x1/4"	29
100	115	148	130x1/4"	31
125	138	178	160x1/4"	35
150	164	210	190x1/4"	40

ACCESORIOS DIN 11851

CASQUILLO SOLDAR



DN	d1	d2	d6	C
10	10	15	22,5	17
15	16	21	28,5	17
20	20	25	36,5	18,9
25	26	31	44	22
32	32	37	50	25
40	38	43	56	26
50	50	55	68,5	28
65	66	72	86	32
80	81	87	100	37
100	100	106	121	44
125	125	132	150	54
150	150	157	176	57


JUNTA



EPDM	SILICONA	VITON	PTFE
DN	D	d	C
10	20	12	4,5
15	25	18	4,5
20	33	23	4,5
25	40	30	5
32	46	36	5
40	52	42	5
50	64	54	5
65	81	71	5
80	95	85	5
100	114	104	6
125	142	130	7
150	167	155	7


ACCESORIOS DIN 11851

MACHO SOLDAR



DN	d1	d2	Rd	C
10	10	15	28x1/8"	21
15	16	21	34x1/8"	21
20	20	25	44x1/6"	24
25	26	31	52x1/6"	29
32	32	37	58x1/6"	32
40	38	43	65x1/6"	33
50	50	55	78x1/6"	35
65	66	72	95x1/6"	40
80	81	87	110x1/4"	45
100	100	106	130x1/4"	54
125	125	132	160x1/4"	46
150	150	157	190x1/4"	50

TUERCA CIEGA



DN	d6	Rd	C
10	38	28x1/8"	18
15	44	34x1/8"	18
20	54	44x1/6"	20
25	63	52x1/6"	21
32	70	58x1/6"	21
40	78	65x1/6"	21
50	92	78x1/6"	22
65	112	95x1/6"	25
80	127	110x1/4"	29
100	148	130x1/4"	31
125	178	160x1/4"	35
150	210	190x1/4"	40

OTRAS PIEZAS:

